Metal Progress January-June 1978, Vol 113 No 1-6

Subject Index

In the index listing, the first number indicates the issue number, the second number the page in that issue. For example, 1-7 indicates issue No. 1 (January), page 7; 2-36 indicates issue No 2 (February), page 36, and so on. Index listing is for Vol 113, January-June 1978.

e issue number, the second number the page 1 (January), page 7; 2-36 indicates issue No. is for Vol 113, January-June 1978.
Repairing Damaged Aluminum
Honeycomb Panels, by Robert D.
Kesler 3-79
Selecting Plastics for Aircraft Applications, by Harvey V. Pellegrini 3-72
Structural Castings for Aircraft: A
Progress Report From Boeing, by Donald D. Goehler
Alloy steels
HP9-4-30 Alloy Steel for High Strength Gears, by D. L. Walker 6-54
Isothermal Transformation Diagram
and Hardenability Chart for AISI
9310 (AMS 6260) 1-97
Problem-Solving With Selective Plating, by Harry E. Chandler 6-39
Specialty Carburizing Steels for
Elevated Temperature Service, by
Chester F. Jatczak 4-70
Aluminum and aluminum alloys
Aluminum-Lithium Alloys: Low
Density and High Stiffness, by
T. H. Sanders 3-32
Composite Struts Pare Space Shuttle Weight, by M. Donald Weisinger 5-60
Materials and Processes for the
Waterials and Flocesses for the

Elevated Temperature Service, by
Chester F. Jatczak 4-70
Aluminum and aluminum alloys
Aluminum-Lithium Alloys: Low
Density and High Stiffness, by
T. H. Sanders 3-32
Composite Struts Pare Space Shuttle
Weight, by M. Donald Weisinger 5-60
Materials and Processes for the
Tomahawk Cruise Missile, by R. T.
Torgerson and J. L. Christian 3-52
Optimizing Diffusion Times and
Temperatures in Heat Processing, by
William G. Fricke Jr 4-46
Repairing Damaged Aluminum
Honeycomb Panels, by Robert D.
Kesler
Structural Castings for Aircraft: A
Progress Report From Boeing, by
Donald D. Goehler 3-38
Trends in Nonferrous Metal Tech-
nology: Tech. Forecast '78, by Harry
E. Chandler and Donald F. Baxter Jr. 1-37

Atmospheres	
Atmospheres Experience With the Carbon Sensor	
in Furnace Atmosphere Control, by	
Timothy M. Meyers 4-36	
Furnace Atmosphere Control by the	
Oxygen Potential Method, by	
Kenneth D. Gladden, Michael F.	
Simmons, and Raymond H. Hays 4-40	
Nitrogen-Based Gas for Heat Treat-	
ing, by Danny L. Smith 2-56	
The Case for Nitrogen-Based Atmos-	
pheres, by Robert I. Beck 6-66	
•	
Automotive	
Plasma-Arc Hardfacing Exhaust	
Valves With an Iron-Base Alloy, by	
Wallace M. Matlock, John F. Kocis,	
and Edward T. Vitcha 5-38	
Potentials for More Plastics in Autos,	
by Harry E. Chandler 5-68	
What Detroit is Doing to Fight Corro-	
sion, by Harry E. Chandler 6-46	
Basic production	
Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and	
Donald F. Baxter Jr 1-84	
Dollard 1. Dantel 31 1-04	
Carbon steels	
The Hammer, by Howard E. Boyer . 2-66	,
The Nail Hammer, by Harry	
E. Chandler 6-43	i
The Plane, by Howard E. Boyer 5-50)
The Screwdriver, by Howard E.	
Boyer	5
Casting	
Compacted Graphite Iron for Diesel	
Engine Castings, by R. R. Oathout 5-54	ļ
Die Casting Update, by Howard E.	
Boyer 2-36	5
Structural Castings for Aircraft: A	
Progress Report From Boeing, by	
Donald D. Goehler 3-38	3
Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and	
cast '78, by Harry E. Chandler and	
Donald F. Baxter Jr 1-5.	3
Commiss	
Ceramics	
Trends in Technology: Tech Fore-	
cast '78, by Harry E. Chandler and Donald F. Baxter Jr 1-4	
Donaid F. Baxter Jr 1-4	0

Chemical processing equipment

Improved Stability Nickel-Base

Alloys Meet New CPI Requirements,

by F. Galen Hodge 2-22

hawk Cruise Missile, by R. T.

JMI

Materials and Processes for the Toma-

Torgerson and J. L. Christian 3-52

Metal Progress January-June 1978, Vol 113 No 1-6

Subject Index

In the index listing, the first number indicates the issue number, the second number the page in that issue. For example, 1-7 indicates issue No. 1 (January), page 7; 2-36 indicates issue No 2 (February), page 36, and so on. Index listing is for Vol 113, January-June 1978.

e issue number, the second number the page 1 (January), page 7; 2-36 indicates issue No. is for Vol 113, January-June 1978.
Repairing Damaged Aluminum
Honeycomb Panels, by Robert D.
Kesler 3-79
Selecting Plastics for Aircraft Applications, by Harvey V. Pellegrini 3-72
Structural Castings for Aircraft: A
Progress Report From Boeing, by Donald D. Goehler
Alloy steels
HP9-4-30 Alloy Steel for High Strength Gears, by D. L. Walker 6-54
Isothermal Transformation Diagram
and Hardenability Chart for AISI
9310 (AMS 6260) 1-97
Problem-Solving With Selective Plating, by Harry E. Chandler 6-39
Specialty Carburizing Steels for
Elevated Temperature Service, by
Chester F. Jatczak 4-70
Aluminum and aluminum alloys
Aluminum-Lithium Alloys: Low
Density and High Stiffness, by
T. H. Sanders 3-32
Composite Struts Pare Space Shuttle Weight, by M. Donald Weisinger 5-60
Materials and Processes for the
Waterials and Flocesses for the

Elevated Temperature Service, by
Chester F. Jatczak 4-70
Aluminum and aluminum alloys
Aluminum-Lithium Alloys: Low
Density and High Stiffness, by
T. H. Sanders 3-32
Composite Struts Pare Space Shuttle
Weight, by M. Donald Weisinger 5-60
Materials and Processes for the
Tomahawk Cruise Missile, by R. T.
Torgerson and J. L. Christian 3-52
Optimizing Diffusion Times and
Temperatures in Heat Processing, by
William G. Fricke Jr 4-46
Repairing Damaged Aluminum
Honeycomb Panels, by Robert D.
Kesler
Structural Castings for Aircraft: A
Progress Report From Boeing, by
Donald D. Goehler 3-38
Trends in Nonferrous Metal Tech-
nology: Tech. Forecast '78, by Harry
E. Chandler and Donald F. Baxter Jr. 1-37

Atmospheres	
Atmospheres Experience With the Carbon Sensor	
in Furnace Atmosphere Control, by	
Timothy M. Meyers 4-36	
Furnace Atmosphere Control by the	
Oxygen Potential Method, by	
Kenneth D. Gladden, Michael F.	
Simmons, and Raymond H. Hays 4-40	
Nitrogen-Based Gas for Heat Treat-	
ing, by Danny L. Smith 2-56	
The Case for Nitrogen-Based Atmos-	
pheres, by Robert I. Beck 6-66	
•	
Automotive	
Plasma-Arc Hardfacing Exhaust	
Valves With an Iron-Base Alloy, by	
Wallace M. Matlock, John F. Kocis,	
and Edward T. Vitcha 5-38	
Potentials for More Plastics in Autos,	
by Harry E. Chandler 5-68	
What Detroit is Doing to Fight Corro-	
sion, by Harry E. Chandler 6-46	
Basic production	
Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and	
Donald F. Baxter Jr 1-84	
Dollard 1. Dantel 31 1-04	
Carbon steels	
The Hammer, by Howard E. Boyer . 2-66	,
The Nail Hammer, by Harry	
E. Chandler 6-43	i
The Plane, by Howard E. Boyer 5-50)
The Screwdriver, by Howard E.	
Boyer	5
Casting	
Compacted Graphite Iron for Diesel	
Engine Castings, by R. R. Oathout 5-54	ļ
Die Casting Update, by Howard E.	
Boyer 2-36	5
Structural Castings for Aircraft: A	
Progress Report From Boeing, by	
Donald D. Goehler 3-38	3
Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and	
cast '78, by Harry E. Chandler and	
Donald F. Baxter Jr 1-5.	3
Commiss	
Ceramics	
Trends in Technology: Tech Fore-	
cast '78, by Harry E. Chandler and Donald F. Baxter Jr 1-4	
Donaid F. Baxter Jr 1-4	0

Chemical processing equipment

Improved Stability Nickel-Base

Alloys Meet New CPI Requirements,

by F. Galen Hodge 2-22

hawk Cruise Missile, by R. T.

JMI

Materials and Processes for the Toma-

Torgerson and J. L. Christian 3-52

Material Selection Criteria for Chem-	Cost reduction	Forming
ical Processing Equipment, by R. B. Puyear	Combining Materials to Cut Process Equipment Cost, by Carl W. Norris . 5-44	Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler
Titanium for Chemical Processing Equipment, by Ward W. Minkler 2-27		and Donald F. Baxter Jr 1-57
Zirconium for Chemical Processing	Editorials	
Applications, by R. Terrence Webster 2-62	A Different World, by Harry E. Chandler	Furnaces Experience With the Carbon Sensor in
Cleaning	Appraising Our Energy Objectives, by Allen G. Gray 4-25	Furnace Atmosphere Control, by Timothy M. Meyers 4-36
Trends in Cleaning, Finishing, and Coating Technology: Tech. Forecast	Chromium Criticality Not Fully Recognized, by Allen G. Gray 5-37	Furnace Atmosphere Control by the Oxygen Potential Method, by
78, by Harry E. Chandler and Donald F. Baxter Jr 1-57	Making the Impossible Possible, by Allen G. Gray 3-29	Kenneth D. Gladden, Michael F. Simmons, and Raymond H. Hays 4-40
	One-Way Communication, by Harry E. Chandler 4-7	Gas-to-Electric Furnace Conversion Hikes Production, by James Pare 2-32
Coating	Professional Progress, by Harry E.	Nitrogen-Base Gas for Heat Treating,
Trends in Cleaning, Finishing, and Coating Technology: Tech. Forecast	Chandler 1-7 Spinning Our Wheels, by Harry E. 5-7	by Danny L. Smith
78, by Harry E. Chandler and Donald F. Baxter Jr	Technology and the Challenges Ahead, by Allen G. Gray 1-25	photes, by Robert I. Beck 0-00
	Technology Transfer Anybody? by	Gears
Composites Composite Struts Pare Space Shuttle	Harry E. Chandler 3-7 The Challenge of Corrosion Control,	HP9-4-30 Alloy Steel for High Strength Gears, by D. L. Walker 6-54
Weight, by M. Donald Weisinger 5-60	by Allen G. Gray 2-19	
Trends in Technology: Tech. Forecast '78, by Harry E. Chandler and Donald	Too Much TV or? by Harry E. Chandler	Glass fibers
F. Baxter Jr	What Corrosion Really Costs, by	Potentials for More Plastics in Autos, by Harry E. Chandler 5-68
	Allen G. Gray 6-29	Properties of Commonly Used Glass Fiber-Reinforced Plastics 5-58
Copper alloys	Energy conservation	
Combating Wear With Beryllium Copper, by Keith G. Wikle 6-60	Gas-to-Electric Furnace Conversion Hikes Production, by James Pare 2-32	Hardenability
Problem-Solving With Selective Plat-	The Case for Nitrogen-Based Atmospheres, by Robert I. Beck 6-66	Isothermal Transformation Diagram and Hardenability Chart for AISI
ing, by Harry E. Chandler 6-39 Trends in Nonferrous Metal Technology: Tech. Forecast '78, by Harry	Engines	9310 (AMS 6260) 1-97
E. Chandler and Donald F.	Compacted Graphite Iron for Diesel	Handness testing
Baxter Jr 1-37	Engine Castings, by R. R. Oathout 5-54	Hardness testing Converting Indentation Diameters
Corrector resistance	Plasma-Arc Hardfacing Exhaust Valves With an Iron-Base Alloy, by	to Brinell Hardness Numbers 2-52
Corrosion resistance Combining Materials to Cut Process	Wallace M. Matlock, John F. Kocis, and Edward T. Vitcha 5-38	Heat processing
Equipment Cost, by Carl M. Norris . 5-44	Use of Hot-Stage-Equipped Scanning	Optimizing Diffusion Times and
Improved Stability Nickel-Base Alloys Meet New CPI Requirements,	Electron Microscope for Jet Engine Turbine Vanes, by Joseph H. Collins,	Temperature in Heat Processing, by William G. Fricke Jr 4-46
by F. Galen Hodge 2-22 Material Selection Criteria for Chem-	Charles E. Maduell, and Lawrence E. Schwab3-44	Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and
ical Processing Equipment, by R. B. Puyear 2-40		Donald F. Baxter Jr 1-49
Susceptibility of Selected Alloys to	Fabrication	
Stress-Corrosion Cracking 6-52	Materials and Process for the Toma- hawk Cruise Missile, by R. T.	Heat treatment
Titanium for Chemical Processing Equipment, by Ward W. Minkler 2-27	Torgerson and J. L. Christian 3-52	Chord Method Nomograph for Determining Depth of Decarburization 3-63
Use of Hot-Stage-Equipped Scanning Electron Microscope in Weld Repair	Finishing	Decarburization and Its Evaluation by the Chord Method, by
Study of Jet Engine Turbine Vanes, by	Finishing Trends in Cleaning, Finishing, and	Robert H. Gassner 3-59
Joseph H. Collins, Charles E. Maduell, and Lawrence E. Schwab 3-44	Coating Technology: Tech. Forecast	Experience With the Carbon Sensor in Furnace Atmosphere Control, by
What Detroit is Doing to Fight Corro-	78, by Harry E. Chandler and Donald F. Baxter Jr 1-57	Timothy M. Meyers 4-36
sion, by Harry E. Chandler 6-46 Zirconium for Chemical Processing		Furnace Atmosphere Control by the Oxygen Potential Method, by
Applications, by R. Terrence Webster	Forging The Hammer, by Howard E. Boyer . 2-66	Kenneth D. Gladden, Michael F.
	The Hammer, by Howard E. Doyci . 2-00	Similions, and Raymond II. Hays 4-40

Metal progress subject index

	The Countries to House I F	Weight, by M. Donald Weisinger 5-60)
Gas-to-Electric Furnace Conversion Hikes Production, by James Pare 2-32	The Screwdriver, by Howard E. Boyer 4-45	Repairing Damaged Aluminum Honeycomb Panels, by Robert D.	
Isothermal Transformation Diagram and Hardenability Chart for AISI		Kesler)
9310 (AMS 6260) 1-97	Metrication		
Nitrogen-Base Gas for Heat	Metric Material Standards, by	Special-duty materials	
Treating, by Danny L. Smith 2-56	Arthur Cohen 6-32	Trends in Technology: Tech. Fore-	
Optimizing Diffusion Times and Temperature in Heat Processing, by		cast '78, by Harry E. Chandler and	
William G. Fricke Jr 4-46	Missiles	Donald F. Baxter Jr 1-4	3
The Case for Nitrogen-Based Atmos-	Materials and Processes for the Toma-		
pheres, by Robert I. Beck 6-66	hawk Cruise Missile, by R. T. Torgerson and J. L. Christian 3-52	Stainless steel	
Trends in Heat Processing: Tech.		An Austenitic Stainless Steel With-	
Forecast '78, by Harry E. Chandler and Donald F. Baxter Jr 1-49	27.1.1.0	out Nickel and Chromium, by	
and Donald 1. Daniel 31	Nickel alloys	Samir K. Banerji 4-5	9
High strength steels	Improved Stability Nickel-Base Alloys Meet New CPI Requirements,		
Problem-Solving With Selective Plat-	by F. Galen Hodge 2-22	Steel	
ing, by Harry E. Chandler 6-39	Trends in Nonferrous Metal Tech-	An Austenitic Stainless Steel With-	
	nology: Tech. Forecast '78, by Harry	out Nickel and Chromium, by Samir	
Iron	E. Chandler and Donald F. Baxter Jr 1-37	K. Banerji 4-5	9
Compacted Graphite Iron for Diesel	Duniel St	HP9-4-30 Alloy Steel for High	A
Engine Castings, by R. R. Oathout 5-54		Strength Gears, by D. L. Walker 6-5 Isothermal Transformation Diagram	٦
Plasma-Arc Hardfacing Exhaust	Nickel steels	and Hardenability Chart for AISI	
Valves With an Iron-Base Alloy, by	Simple Field Test Distinguishes Between 9% Nickel and Low-Carbon	9310 (AMS 6260) 1-9	1
Wallace M. Matlock, John F. Kocis, and Edward T. Vitcha 5-38	Steels, by Edward E. Wagner and	Simple Field Test Distinguishes	
	Gabriel E. Padawer 5-52	Between 9% Nickel and Low-Carbon Steels, by Edward E. Wagner and	
Low-carbon steels		Gabriel E. Padawar 5-5	1
Simple Field Test Distinguishes	Plastics	Specialty Carburizing Steels for	
Between 9% Nickel and Low-Carbon	Potentials for More Plastics in	Elevated Temperature Service, by	
Steels, by Edward E. Wagner and Gabriel E. Padawer 5-52	Autos, by Harry E. Chandler 5-68	Chester F. Jatczak 4-7	
Gautier E. Fauawer 3-32	Properties of Commonly Used Glass	The Hammer, by Howard E. Boyer . 2-6	M
	Fiber-Reinforced Plastics 5-58	The Nail Hammer, by Harry E. Chandler 6-4	1
Materials systems	Selecting Plastics for Aircraft Appli- cations, by Harvey V. Pellegrini 3-72	The Plane, by Howard E. Boyer 5-5	
Combining Materials to Cut Process Equipment Cost, by Carl W.	Trends in Technology: Tech. Fore-	The Screwdriver, by Howard E.	
Norris 5-44	cast '78, by Harry E. Chandler and	Boyer 4-4	į
The Hammer, by Howard E. Boyer . 2-52	Donald F. Baxter Jr 1-46	Trends in Technology: Tech. Fore-	
The Nail Hammer, by Harry		cast '78, by Harry E. Chandler and Donald F. Baxter Jr 1-3	1
E. Chandler 6-43	Plating	Doming 1. Daniel 31	
The Plane, by Howard E. Boyer 5-50	Problem-Solving With Selective		
The Screwdriver, by Howard E. Boyer 4-45	Plating, by Harry E. Chandler 6-39	Superalloys	
20,00		Improved Stability Nickel-Base	
	Powder metallurgy	Alloys Meet New CPI Requirements,	1
Materials selection	Trends in Technology: Tech. Fore-	by F. Galen Hodge 2-7 Trends in Technology: Tech. Fore-	-
Materials and Processes for the Tomahawk Cruise Missile, by R. T.	cast '78, by Harry E. Chandler and	cast 78, by Harry E. Chandler and	
Torgerson and J. L. Christian 3-52	Donald F. Baxter Jr 1-82	Donald F. Baxter Jr 1-	4
Material Selection Criteria for			
Chemical Processing Equipment, by	Process control	6.4.	
R. B. Puyear 2-40	Experience With the Carbon Sensor	Surfacing	
Selecting Plastics for Aircraft Appli- cations, by Harvey V. Pellegrini 3-72	in Furnace Atmosphere Control, by Timothy M. Meyers 4-36	Plasma-Arc Hardfacing Exhaust Valves With an Iron-Base Alloy, by	
. ,,			

Furnace Atmosphere Control by the Oxygen Potential Method, by Kenneth D. Gladden, Michael F. Simmons, and Raymond H. Hays... 4-40

Spacecraft

UMI

Wallace M. Matlock, John F. Kocis, and Edward T. Vitcha	5-38	Harry E. Chandler and Donald F. Baxter Jr.	1-37	Recommended Proportions of Grooves for Arc Welding
Testing and inspection Decarburization and Its Evalution by the Chord Method, by Robert H. Gassner HP9-4-30 Alloy Steel for High Strength Gears, by D. L. Walker		Tungsten and tungsten alloys Composite Struts Pare Space Shuttle Weight, by M. Donald Weisinger Trends in Nonferrous Metal Technology: Tech. Forecast '78, by Harry E. Chandler and Donald F. Baxter Jr.	5-60	Trends in Technology: Tech. It cast '78, by Harry E. Chandle Donald F. Baxter Jr Use of Hot-Stage-Equipped St. Electron Microscope in Weld Study of Jet Engine Turbine by Joseph H. Collins, Charles Maduell, and Lawrence E. Sci.
Simple Field Test Distinguishes Between 9% Nickel and Low-Carbon Steels, by Edward E. Wagner and Gabriel Padawer Trends in Technology: Tech. Fore- cast 78, by Harry E. Chandler and Donald F. Baxter Jr Use of Hot-Stage-Equipped Scanning Electron Microscope in Weld Repair Study of Jet Engine Turbine Vanes, by Joseph H. Collins, Charles E. Maduell, and Lawrence E.	1-78	Wear Combating Wear With Beryllium Copper, by Keith G. Wikle Weight reduction Composite Struts Pare Space Shuttle Weight, by M. Donald Weisinger		Zirconium Zirconium for Chemical Proce Applications, by R. Terrence Webster Trends in Nonferrous Metal T nology: Tech. Forecast '78, by E. Chandler and Donald F. Baxter Jr.
Schwab	3-44	Welding and Joining		
Titanium Titanium for Chemical Processing Equipment, by Ward W. Minkler	2-27	Factors Affecting the Quality of Electron Beam Welding, by Richard G. Wilcox and Walton R. Yerger Plasma-Arc Hardfacing Exhaust Valves With an Iron-Base Alloy, by	4-28	Author Index Banerji, Samir K

Now Available! **Keep your Metal Progress issues** (plus Databook) in this handy storage file



Trends in Nonferrous Metal Tech-

nology: Tech. Forecast '78, by

Magazine file holds 12 issues of Metal Progress plus Databook. Open-top, cut-corner design . . . corrugated board with wood-grain finish. Comes with pressuresensitive label, printed with Metal Progress logo. Shipped flat, flips together without taping to form box 113/4 in high, 9 in. deep, 4 in. wide. Self-locking bottom. Stands firm and straight even when partially filled. Price: \$2.00 including shipping. Send order with remittance enclosed to Metal Progress File Offer, American Society for Metals, Metals Park, Ohio 44073. Make checks payable to American Society for Metals. Ohio

residents add 4% sales tax.

Wallace M. Matlock, John F. Kocis,

and Edward T. Vitcha 5-38

Grooves for Arc Welding 4	-50
Trends in Technology: Tech. Fore- cast '78, by Harry E. Chandler and Donald F. Baxter Jr	-75
Use of Hot-Stage-Equipped Scanning Electron Microscope in Weld Repair Study of Jet Engine Turbine Vanes, by Joseph H. Collins, Charles E.	
Maduell, and Lawrence E. Schwab 3	1-44
Zirconium	
Zirconium for Chemical Processing Applications, by R. Terrence	
Webster	2-62
Trends in Nonferrous Metal Technology: Tech. Forecast '78, by Harry E. Chandler and Donald F.	
Baxter Jr	1-37

Banerji, Samir K	4-59
Baxter, Donald F. Jr	
Beck, Robert I	6-66
Boyer, Howard E 2-36, 2-66,4-45,	5-50
Chandler, Harry E 1-7, 1-28,2-5,3-7	4-7.
5-7, 5-68, 6-7, 6-39, 6-43,	6-46
Christian, J. L	3-52
Cohen, Arthur	6-32
Collins, Joseph H	3-44
Fricke, William G. Jr	4-46
Gassner, Robert H	3-59
Gladden, Kenneth D	4-40
Goehler, Donald D	3-38
Gray, Allen G 1-25, 2-19, 3-29,	4-25.
5-37,	6-29
Hays, Raymond H	4-40
Hodge, F. Galen	2-22
Jatczak, Chester F	4-70
Kocis, John F	5-38
Maduell, Charles E	3-44
Matlock, Wallace M	5-38
Meyers, Timothy M	4-36
Minkler, Ward W	2-27
Norris, Carl W	5-44
Oathout, R. R	5-54
Padawer, Gabriel E	5-52
Pare, James	2-23
Pellegrini, Harvey V	3-72
Puyear, R. B	2-40
Sanders, T. H	3-32
Schwab, Lawrence E	3-44
Simmons, Michael F	4-40
Smith, Danny L	2-56
Torgerson, R. T	3-52
Vitcha, Edward T	5-38
Wagner, Edward E	5-52
Walker, D. L	6-54
Weisinger, M. Donald	5-60
Wikle, Keith G	6-60
Wilcox, Richard G	4-28
Yerger, Walton R	4-28

Metal Progress Mid-June-December 1978, Vol 114, No. 1-8

SUBJECT INDEX

Alloy steels

In the index listing, the first number indicates the issue number, the second number the page in that issue. For example, 1-41 indicates issue No. 1 (Databook), page 41; 2-35 indicates issue No. 2 (July), page 35, and so on. Issue No. 7 (Heat Treating Buyers Guide & Directory) is not indexed. All datasheets are listed under the heading "Datasheets" only. Index listing is for Vol. 114, Mid-June-December 1978.

Structure and Properties of an 8620 Steel Carburized in a Nitrogen-Base Gas, by D. L. Svec
and D. E. Laughlin 4-57
Corrosion
Adhesive Wear Resistance of
Engineering Alloys, by William J. Schumacher 6-32
by William J. Schumacher 6-32
Cost reduction
Appliancemakers Evaluate
Net-Shape Process, by
Harry E. Chandler8-22
A New Weight and Cost Saving
Titanium Alloy, by Frank Crossley . 3-60
Datasheets
Irons and Steels
Adhesive Wear Compatibility of Selected Corrosion-Resistant
Alloy Couples 6-36
AISI-SAE Standard Alloy Steels 1-20
AISI-SAE Standard Carbon Steels1-19
Compositions, Properties, and Producers of High-Strength Steels 1-47
Guide to Gear Steels and
Gearmaking 1-25
High-Strength Steels for Automotive
Applications 1-44
How Master and Tramp Elements
Affect the Structures of Cast Irons 5-64
Properties and Applications of
Ferrous Powder Metal Parts 1-81
Properties and Applications of
Heat-Resistant Stainless and
High-Alloy Steel Castings 1-75
Selection and Heat Treatment
of Ferrous Alloys for Automotive
Components 1-41
Special (Nonstandard) Tool Steels 1-77
Specifications and Properties of
Gray and White Iron Castings 1-78
Standard Stainless and
Heat-Resisting Steels 1-60
Nonferrous Metals and Alloys
Adhesive Wear Compatibility of
Selected Corrosion-Resistant
Alloy Countes 6 36

Compositions and Properties of Die Casting Alloys1-104
Foreign Aluminum Alloy Designations and Similar Aluminum Assn.
(AA) Alloys8-33
Properties and Applications of Nonferrous Powder Metal Parts1-100
Properties and Applications of Widely Used Wrought Coppers and Copper Alloys 1-91
Properties and Applications of Wrought Aluminum Alloys 1-88
Properties, Characteristics, and Applications of Heat-Treatable
Aluminum Alloys
Titanium Alloys
Aluminum Alloys 1-80 Superalloys, Special-Duty Metals:
Nonmetallics; Plastics Adhesive Wear Compatibility of Selected Corrosion-Resistant
Alloy Couples 6-3
Annealed Properties of Commercial Grade of Zirconium and Its Alloys . 2-6
Composition and Properties of Representative Refractory Metal Alloys1-12
Guide to Selection of Superalloys 1-10
Nominal Compositions and Properties of SAE Exhaust
Valve Alloys1-11
Properties of Commonly Used Glass Fiber-Reinforced Plastics1-12
Heat Treating Equilibria for Gas Carburizing 1-15
Hardenability Bands for Standard AISI-SAE H-Steels1-13
How Austenitizing Temperature Affects the Microstructure of an Alloy Gray Cast Iron 4-5
Isothermal Transformation Diagram and Hardenability Chart for AISI 9310 (AMS 6260) 1-14
Typical Heat Treatments and Characteristics of AISI Tool Steels 1-15


Testing and Inspection Converting Indentation Diameters
to Brinell Hardness Numbers 1-189
English/Metric (SI) Fracture Toughness Conversion Factors 1-181
Metallography of Coppers and Copper Alloys1-177
Nondestructive Methods for Evaluating Materials1-167
Typical Imperfections in Carbon Steel Sheet1-184
Typical Scanning Electron Microscope Fractographs 3-60
Cleaning, Finishing, Coating Guide for Selecting Minimum Thickness for Quality Coatings1-198
Guide to Ultrasonic Cleaning 1-194
Selecting Aluminum Alloys for Anodizing1-197
Welding and Joining Filler Metal Selections for
Welding Aluminum Alloys1-218 Recommended Electrodes for
Shielded Metal-Arc Welding of Carbon and Low-Alloy ASTM Steels 1-204
Recommended Proportions of Grooves for Arc Welding1-207
Shielding Gas Selection Guide1-201
Standard Brazing Alloys: Compositions, Characteristics,
Uses1-216
Forming Forging Temperature Ranges for Steels and Superalloys1-222
Guides for Determining
Extrusion Parameters1-224 Rockwell Hardness-to-Yield
Strength Nomograph for Sheet Steel1-220
Machining Guides for Machining Standard
AISI Stainless Steels in Automatic Equipment1-228
Machinability Ratings for Cold-Drawn, Carbon Steel Bars 1-227
Recommended Procedures for
Turning Superalloys1-229
Drills The Twist Drill, by Donald F. Baxter Jr8-34
Editorial A Reminder, by Harry E. Chandler . 4-7
Benefits From the Capability to Substitute, by Allen G. Gray 6-23
Caveat Designer-Engineer, by Harry E. Chandler 6-11
Energy Economics Takes on New Meaning, by Allen G. Gray8-17
Era of Undiscipline, by

Our Readers Write, by	Gears		Metanography	
Harry E. Chandler 5-9	Materials and Processes for		A New Way to Polish	
Standardization Advances Nuclear	Marine Gear Vibration Isolation	2 (2	Heterogeneous Materials,	200
Option, by Allen G. Gray 2-29	System, by Andrew T. Nozaka	2-62	by Rene Hoeg	3-30
Testing is Everybody's			The Art of Metallography,	
Business, by Allen G. Gray 3-33	Heat treatment		by Raymond Hasson	3-58
Thoughts on Improving Productivity,	A Practical Study of the			
by Allen G. Gray 4-27	Carbonitriding Process, by		Nonmetallics	
Users Have Big Stakes in Steel	R. Davies and C. G. Smith	4-40	Controlling Gross Nonmetallics	
Technology, by Allen G. Gray 5-33	Drip Feed Carburizing,		in Steel Products, by John	
View From a Bus, by Harry	by Urs Wyss	6-24	M. St. John	3-44
E. Chandler 3-7	Improving Notch Toughness of	0.24	141. Oc. 50m	2
Wanted: More Metallurgists, by	Nuclear Forgings by Intercritical			
Harry E. Chandler8-13	Heat Treatment, by Edward G.		Nuclear	
many E. Chandler	Nisbett, Raymond D. Asp,		Closed-Die Forgings for	
	and Dale E. Morgan	2-54	Nuclear Applications, by	
Energy	Partial Pressure Carburizing,		James R. Becker and Colin Stead	2-35
The Management of Energy, by	by Auvo I. Kemppinen	6-41	Improving Notch Toughness of	
Harry E. Chandler 4-34	Postweld Heat Processing in	0 41	Nuclear Forgings by Intercritical	
	the Field, by Peter Cooper	1.36	Heat Treatment, by Edward G.	
Failure	•	4-30	Nisbett, Raymond D. Asp,	
Analyzing Fire Extinguisher	Structure and Properties of an 8620 Steel Carburized in a		and Dale E. Morgan	2-54
Failures, by Bruce W. Christ,	Nitrogen-Base Gas, by D. L. Svec		Materials for Fusion Reactors,	
John H. Smith, Charles H. Brady8-28	and D. E. Laughlin	4-57	by James L. Scott	2-40
	and D. L. Laughini	4-37		
Forging			Pipe	
Closed-Die Forgings for	Materials Selection		pe Snubbers Protect Against	
Nuclear Applications, by James	A New Weight and Cost Saving		Earthquakes, by William S. Wright .	2-32
R. Becker and Colin Stead 2-35	Titanium Alloy, by Frank Crossley .	3-60	Darring annes, of William S. Wilght .	
Improving Notch Toughness of	Materials and Processes for			
Nuclear Forgings by Intercritical	Marine Gear Vibration Isolation		Polishing	
Heat Treatment, by Edward G.	System, by Andrew T. Nozaka	2-62	A New Way to Polish	
Nisbett, Raymond D. Asp,	Materials for Fusion Reactors,		Heterogeneous Materials,	
and Dale E. Morgan 2-54	by James L. Scott	2-40	by Rene Hoeg	3-56

FOIL® LAMINATE **INSULATION DELIVERS 5-10%**

GRAFOIL® Laminates share many of the advantageous properties inherent to ordinary graphite, such as chemical and thermal stability and resistance to thermal shock. But GRAFOIL Laminates deliver performance features superior to standard graphite...with a line-up of physical property benefits that include:

- Reflectivity nearly five times that of ordinary graphite.
- Lower density which provides a proportionally reduced heat storage capacity.
- Increased resistance to fracture from impact stresses, without degrading from thermal shock or cycling.
- Good thermal conductivity along face planes to even out hot spots; poor thermal conductivity through face plane for lower heat losses.
- Maintains shape. Under vacuum furnace atmosphere, it does not embrittle, recyrstallize, blister, warp or react readily.



GRAFOIL® LAMINATE - TYPICAL PROPERTIES PROPERTY VALUE Thermal Conductivity @ 2000°F 300 Btu in/hr ft²⁰F 24 Btu in/hr ft²⁰F "a" Direction, parallel to layers "c" Direction, normal 40 layers 0.4 Btu/lb^OF Specific heat @ 1000°F Heat Storage in a 0.030" layer at 1000°F 0.07 Btu/ft²⁰F Surface Emissivity 0.5 6600°F Sublimation Point (does not melt) Thermal Shock Resistance Excellent Tensile Strength "a" Direction, parallel to layers 1000 psi Electrical Resistivity @ 70°F Specific Resistivity, "a" Direction parallel to surface 3 x 10-4 ohm-in





GRAFOIL Multiwrap insulation, constructed from alternate layers of flat and corrugated GRAFOIL sheet, forms a series of multiple concentric "thermal mirrors".



UNION CARBIDE CORPORATION CARBON PRODUCTS DIVISION 270 Park Ave., New York, N.Y. 10017

is a registered trademark of Union Carbide Corporation

Circle 418 on reader service card

Profile	
Meet ASM's New President -	
Elihu F. Bradley, by John D. Leslie	,8-26
Quality	
Characterizing Microsurface Quality,	
by Roger N. Wright	3-49
The Management of Quality, by	
Harry E. Chandler	3-36
Stainless Steel	
New Nickel-Free Austenitic	
Stainlesses for Ambient and	
Cryogenic Service, by Glenn	
T. Haddick, Larry D. Thompson,	
Earl R. Parker, and Victor Zackay	6-37

Steel	
Closed-Die Forgings for Nuclear	
Applications, by James R. Becker	
and Colin Stead	2-35
Controlling Gross Nonmetallics	
in Steel Products, by John M.	
St. John	3-44
New Nickel-Free Austenitic	
Stainlesses for Ambient and	
Cryogenic Service, by Glenn	
T. Haddick, Larry D. Thompson,	
Earl R. Parker and Victor Zackay	6-37
Steel Issue VI; A Look at	
American Steel Technology From	
the User Point of View, by	
Harry E. Chandler	5-40

Structure and Properties of an 1620 Steel Carburized in a Nitrogen-Base Gas, by D. L. Svec and D. E. Laughlin	4-57
Steelmaking	
Steel Issue VI; A Look at American	
Steel Technology From the User	
Point of View, by Harry E. Chandler	5 40
by Harry E. Chandler	3-40
Stress Relieving	
Postweld Heat Processing in	
he Field, by Peter Cooper	4-36
Titanium Alloy	
A New Weight and Cost Saving	
Titanium Alloy, by Frank	

HASTELLOY® alloy C-276

One of the Most Versatile
Corrosion-Resistant Alloys
Available to the
Chemical Process Industry

The widespread acceptance of Hastelloy® alloy C-276 during the past ten years has placed it at the top of the list of the many high-performance alloys produced at Stellite Division. Alloy C-276 is virtually immune to pitting, crevice corrosion and stress-corrosion cracking, and has excellent resistance to both reducing and oxidizing corrosives, with or without the presence of chlorides. Most important is the alloy's suitability for use after welding without any heat-treatment in most corrosive environments.

HASTELLOY alloy C-276 is readily available in the forms of sheet, plate, bar, wire, pipe and tubing, welding electrodes, fasteners and fittings, and heat exchangers, as well as semi-finished components such as discs, cylinders, heads, tube sheets, rings, flanges and machined or formed shapes.

Ask for F-356 for properties information.

"Hastelloy" is a registered trade mark of Cabot Corporation.

JMI



KOKOMO, INDIANA 46901 317 457-8411

Circle 419 on reader service card

Titanium Alloy A New Weight and Cost Saving Titanium Alloy, by Frank Crossley Toughness Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	3-60
Toughness Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	3-60
Toughness Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	3-60
Toughness Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	3-60
Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	
Improving Notch Toughness of Nuclear Forgings by Intercritical Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	
Heat Treatment, by Edward G. Nisbett, Raymond D. Asp, and Dale E. Morgan	
G. Nisbett, Raymond D. Asp, and Dale E. Morgan	
and Dale E. Morgan	
***	2-54
Wear	
Adhesive Wear Resistance of	
Engineering Alloys, by William J. Schumacher	6-32
Weight Reduction	
A New Weight and Cost Saving Titanium Alloy, by Frank	
Titanium Alloy, by Frank Crossley	3 60
Crossley	3-00
AUTHOR INDEX	
Asp, Raymond D	2-54
Baxter, Donald F	8-34
Becker James R	2-35
Brady, Charles H	8-28
Brady, Charles H. Chandler, Harry E2-7, 3-7, 3-3	6, 4-7,
4-34, 5-9, 5-40, 6-11, 8-13	, 8-22
Christ, Bruce W.	
Cooper, Peter	
Crossley, Frank	3-60
Davies, R	4-40
5-33, 6-2	, 4-21,
Haddick, Glenn T.	
Hassen, Raymond	3-56
Hoeg, Rene	
Kemppinen, Auvo I.	6-41
Laughlin, D. E.	4-57
Leslie, John D.	. 8-26
Morgan, Dale E	2-54
Nisbett, Edward G	2-54
Nezaka, Andrew T	. 2-62
Parker, Earl R.	
Thompson, Larry D	. 6-37
Schumacher, William J	. 6-32
Scott. James L.	
Smith, C. G	. 4-40
Smith, John H.	
Stead, Colin	
Svec, D. L.	. 4-57
Wright, Roger N	
Wright, William S	
Wyss, UrsZackay, Victor F	. 6-24
	. 6-37

